

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 1 of 8

Print date: 17/03/2025

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING.

#### 1.1 Product identifier.

Product Name: Placa Pladur\_EN

Placa Pladur® N 10, Placa Pladur® N 13, Placa Pladur® H1 13, Placa Pladur® F 13, Placa Pladur® MAGNA H1 25, Placa Pladur® N 6,5, Placa Pladur® MAGNA H1 18, Placa Pladur® FONIC , Placa Pladur® N 15, Placa Pladur® N 18, Placa Pladur® H1 15, Placa Pladur® H1 18, Placa Pladur® L-Tec , Placa Pladur® F15, Placa Pladur® OMNIA 13, Placa Pladur® OMNIA 15, Placa Pladur® H2CE 13, Placa Pladur® I 13, Placa Pladur® I 15, Placa Pladur® MAGNA 18, Placa Pladur® MAGNA 25, Placa Pladur® ULTRA L-TEC , Placa Pladur® ULTRA L-TEC H1 , Placa Pladur® H1 10, Placa Pladur® CH, Pladur® WAB, Pladur® SOLIDTEX, Pladur® N A1 15, Pladur® N A1 13

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against.

Industrial use  
Professional use  
Construction product

#### Uses advised against:

Uses other than those recommended.

#### 1.3 Details of the supplier of the safety data sheet.

Company: **Pladur Gypsum, S.A.U.**  
Address: Ctra. de Andalucía, km 30,200  
City: 28343 - Valdemoro  
Province: Madrid  
Telephone: 910 880 899  
E-mail: consultas@pladur.com  
Web: corporativo.pladur.com

**1.4 Emergency telephone number:** 910 880 899 (Only available during office hours; Monday-Thursday; 08:30-18:00; Friday 08:30-14:30)

### SECTION 2: HAZARDS IDENTIFICATION.

#### 2.1 Classification of the substance or mixture.

The product is not classified as hazardous within the meaning of Regulation (EC) No 1272/2008.

#### 2.2 Label elements.

#### 2.3 Other hazards.

The mixture does not contain substances classified as PBT.  
The mixture does not contain substances classified as vPvB.  
The mixture does not contain any endocrine disrupting properties substances.

In normal use conditions and in its original form, the product itself does not involve any other risk for health and the environment.

### SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS.

#### 3.1 Substances.

Not applicable.

#### 3.2 Mixtures.

Substances posing a danger to health or the environment in accordance with the Regulation (EC) No. 1272/2008, assigned a Community exposure limit in the workplace, and classified as PBT/vPvB or included in the Candidate List:

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 2 of 8

Print date: 17/03/2025

Identifiers	Name	Concentrate	(*)Classification - Regulation (EC) No 1272/2008	
			Classification	Specifics concentration limits and Acute toxicity estimate
CAS No: 10101-41-4	Calcium sulphate dihydrate	75 - 98 %	-	-

(\*) The complete text of the H phrases is given in section 16 of this Safety Data Sheet.

[2] Substance with a national workplace exposure limit (see section 8.1).

### SECTION 4: FIRST AID MEASURES.

#### 4.1 Description of first aid measures.

Due to the composition and type of the substances present in the product, no particular warnings are necessary.

#### Inhalation.

If breathing stops, seek emergency medical attention. Take the victim into open air; keep them warm and calm. If breathing is irregular or stops, perform artificial respiration.

#### Eye contact.

Remove contact lenses, if present and if it is easy to do. Wash eyes with plenty of clean and cool water for at least 10 minutes while pulling eyelids up, and seek medical assistance.

#### Skin contact.

Remove contaminated clothing.

#### Ingestion.

Keep calm. NEVER induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed.

No known acute or delayed effects from exposure to the product.

#### 4.3 Indication of any immediate medical attention and special treatment needed.

In case of doubt or when symptoms of feeling unwell persist, get medical attention. Never administer anything orally to persons who are unconscious.

### SECTION 5: FIREFIGHTING MEASURES.

#### 5.1 Extinguishing media.

##### Suitable extinguishing media:

Extinguisher powder or CO<sub>2</sub>. In case of more serious fires, also alcohol-resistant foam and water spray.

##### Unsuitable extinguishing media:

Do not use a direct stream of water to extinguish. In the presence of electrical voltage, you cannot use water or foam as extinguishing media.

#### 5.2 Special hazards arising from the substance or mixture.

##### Special risks.

Exposure to combustion or decomposition products can be harmful to your health.

#### 5.3 Advice for firefighters.

Use water to cool tanks, cisterns, or containers close to the heat source or fire. Take wind direction into account.

##### Fire protection equipment.

According to the size of the fire, it may be necessary to use protective suits against the heat, individual breathing equipment, gloves, protective goggles or facemasks, and boots.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 3 of 8

Print date: 17/03/2025

### SECTION 6: ACCIDENTAL RELEASE MEASURES.

#### 6.1 Personal precautions, protective equipment and emergency procedures.

For exposure control and individual protection measures, see section 8.

#### 6.2 Environmental precautions.

Product not classified as hazardous for the environment, avoid spillage as much as possible.

#### 6.3 Methods and material for containment and cleaning up.

Collect dry spillage using mechanical methods (brush, shovel or HEPA-filtered Hoover). Minimise dust formation during cleaning. Deposit waste in closed and suitable containers for disposal, in compliance with local and national regulations (see section 13).

#### 6.4 Reference to other sections.

For exposure control and individual protection measures, see section 8.

For later elimination of waste, follow the recommendations under section 13.

### SECTION 7: HANDLING AND STORAGE.

#### 7.1 Precautions for safe handling.

The product does not require special handling measures, the following general measures are recommended:

For personal protection, see section 8.

In the application area, smoking, eating, and drinking must be prohibited.

Follow legislation on occupational health and safety.

Never use pressure to empty the containers. They are not pressure-resistant containers. Keep the product in containers made of a material identical to the original.

#### 7.2 Conditions for safe storage, including any incompatibilities.

The product does not require special storage measures. As general storage measures, sources of heat, radiation, electricity and contact with food should be avoided.

Keep away from oxidising agents and from highly acidic or alkaline materials.

Store the containers between 5 and 35 °C, in a dry and well-ventilated place.

Store according to local legislation. Observe indications on the label. Once the containers are open, they must be carefully closed and placed vertically to prevent spills.

The product is not affected by Directive 2012/18/EU (SEVESO III).

#### 7.3 Specific end use(s).

Not available.

### SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION.

#### 8.1 Control parameters.

Work exposure limit for:

Name	CAS No.	Country	Limit value	ppm	mg/m <sup>3</sup>
Calcium sulphate dihydrate	10101-41-4	United Kingdom [1]	Eight hours		10 (inhalable dust) 4 (respirable)
			Short term		
		Éire [2] (n/a)	Eight hours		10 (inhalable dust) 4 (respirable dust)
			Short term		

[1] According Limit Value (IOELV) list in 2nd Indicative Occupational Exposure adopted by Health and Safety Executive.

[2] According Code of Practice for the Safety, Health and Welfare at Work (Chemicals Agents) Regulations adopted by Health and Safety Authority (HSA).

The product does NOT contain substances with Biological Limit Values.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 4 of 8

Print date: 17/03/2025

### 8.2 Exposure controls.

#### Measures of a technical nature:

<b>Concentration:</b>	<b>100 %</b>				
<b>Uses:</b>	<b>Industrial use Professional use Construction product</b>				
<b>Breathing protection:</b>					
PPE:	Particle filter mask				
Characteristics:	«CE» marking, category III. Made of filtering material, it covers nose, mouth and chin.				
CEN standards:	EN 149				
Maintenance:	Check for any tears, defects, etc. before use. Since it is disposable individual protection equipment, it should be replaced after use.				
Observations:	Does not protect worker unless properly adjusted. Follow the manufacturer's instructions regarding suitable use of the equipment.				
Filter Type needed:	P2				
<b>Hand protection:</b>					
PPE:	Protective gloves against mechanical risks				
Characteristics:	«CE» marking, category II.				
CEN standards:	EN 420, EN 388, EN 374-1, EN 374-2, EN 374-3				
Maintenance:	Keep in a dry place, away from any sources of heat, and avoid exposure to sunlight as much as possible. Do not make any changes to the gloves that may alter their resistance, or apply paints, solvents or adhesives. The gloves, whether new or used, must be carefully inspected before use, particularly after a cleaning treatment and before putting them on, to ensure that there is no damage present. The gloves must not be left in contaminated conditions if they are to be reused, in which case the gloves must be cleaned as much as possible, provided there is no danger, before taking them off.				
Observations:	Gloves should be of the appropriate size and fit the user's hand well, not being too loose or too tight. Always use with clean, dry hands.				
Material:	PVC (polyvinyl chloride)	Breakthrough time (min.):	> 480	Material thickness (mm):	0,35
<b>Eye protection:</b>					
PPE:	Protective goggles with built-in frame.				
Characteristics:	«CE» marking, category II. Eye protector with built-in frame for protection against dust, smoke, fog and vapour.				
CEN standards:	EN 165, EN 166, EN 167, EN 168				
Maintenance:	Visibility through lenses should be ideal. Therefore, these parts should be cleaned daily. Protectors should be disinfected periodically following the manufacturer's instructions.				
Observations:	Some signs of wear and tear include: yellow colouring of the lenses, superficial scratching of the lenses, scraping etc.				
<b>Skin protection:</b>					
PPE:	Protective clothing.				
Characteristics:	«CE» marking, category II. Protective clothing should not be too tight or loose in order not to obstruct the user's movements.				
CEN standards:	EN 340				
Maintenance:	In order to guarantee uniform protection, follow the washing and maintenance instructions provided by the manufacturer.				
Observations:	The protective clothing should offer a level of comfort in line with the level of protection provided in terms of the hazard against which it protects, bearing in mind environmental conditions, the user's level of activity and the expected time of use.				
PPE:	Work footwear.				
Characteristics:	«CE» marking, category II.				
CEN standards:	EN ISO 13287, EN 20347				
Maintenance:	This product adapts to the first user's foot shape. That is why, as well as for hygienic reasons, it should not be used by other people.				
Observations:	Work footwear for professional use includes protection elements aimed at protecting users against any injury resulting from an accident				

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 5 of 8

Print date: 17/03/2025

### SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES.

#### 9.1 Information on basic physical and chemical properties.

Physical state: Solid  
Colour: White  
Odour: Characteristic  
Odour threshold: Not available  
Melting point: Not applicable  
Freezing point: Not applicable  
Boiling point or initial boiling point and boiling range: 314 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)  
Flammability: Not applicable  
Lower explosion limit: Not applicable  
Upper explosion limit: Not applicable  
Flash point: 531 °C (Estimation based on the indication of the Regulation (CE) N°1272/2008.)  
Auto-ignition temperature: Not applicable  
Decomposition temperature: Not applicable  
pH: Not applicable (Substance/mixture is non-soluble (in water)).  
Kinematic viscosity: Not applicable  
Solubility: Not applicable  
Hydrosolubility: Not applicable  
Liposolubility: Not applicable  
Partition coefficient n-octanol/water (log value): Not applicable  
Vapour pressure: Not applicable  
Absolute density: Not applicable  
Relative density: Not applicable  
Relative vapour density: Not applicable  
Particle characteristics: Not applicable

#### 9.2 Other information

##### Other safety characteristics

Mechanical sensitivity:

Exothermic decomposition energy: Not available  
Sensitivity to impact: Not available  
Sensitivity to friction: Not available

Self-accelerating polymerisation temperature: Not available

Formation of explosible dust/air mixtures:

Lower explosion limit / minimum explosible concentration: Not available  
Minimum ignition energy: Not available  
Deflagration index (Kst): Not available  
Maximum explosion pressure: Not available

Acid/alkaline reserve: Not available

Evaporation rate: Not available

Miscibility: Not available

Conductivity: Not available

Corrosiveness: Not available

Gas group: Not available

Redox potential: Not available

Radical formation potential: Not available

Photocatalytic properties: Not available

### SECTION 10: STABILITY AND REACTIVITY.

#### 10.1 Reactivity.

The product does not present hazards by their reactivity.

#### 10.2 Chemical stability.

Stable under the recommended handling and storage conditions (see section 7).

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 6 of 8

Print date: 17/03/2025

### 10.3 Possibility of hazardous reactions.

The product does not present possibility of hazardous reactions.

### 10.4 Conditions to avoid.

Avoid any improper handling.

### 10.5 Incompatible materials.

Keep away from oxidising agents and from highly alkaline or acidic materials in order to prevent exothermic reactions.

### 10.6 Hazardous decomposition products.

No decomposition if used for the intended uses.

## SECTION 11: TOXICOLOGICAL INFORMATION.

### 11.1 Information on hazard classes as defined in Regulation (EC) N° 1272/2008.

There are no tested data available on the product.

a) acute toxicity;

Not conclusive data for classification.

b) skin corrosion/irritation;

Not conclusive data for classification.

c) serious eye damage/irritation;

Based on available data, the classification criteria are not met.

d) respiratory or skin sensitisation;

Not conclusive data for classification.

e) germ cell mutagenicity;

Not conclusive data for classification.

f) carcinogenicity;

Not conclusive data for classification.

g) reproductive toxicity;

Not conclusive data for classification.

h) STOT-single exposure;

Not conclusive data for classification.

i) STOT-repeated exposure;

Based on available data, the classification criteria are not met.

j) aspiration hazard;

Not conclusive data for classification.

### 11.2 Information on other hazards.

#### Endocrine disrupting properties

This product does not contain components with endocrine-disrupting properties with effects on human health.

#### Other information

There is no information available on other adverse health effects.

## SECTION 12: ECOLOGICAL INFORMATION.

### 12.1 Toxicity.

No information is available regarding the ecotoxicity of the substances present.

### 12.2 Persistence and degradability.

No information is available regarding the biodegradability of the substances present.

No information is available on the degradability of the substances present.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 7 of 8

Print date: 17/03/2025

No information is available about persistence and degradability of the product.

### 12.3 Bioaccumulative potential.

No information is available regarding the bioaccumulation of the substances present.

### 12.4 Mobility in soil.

No information is available about the mobility in soil.

The product must not be allowed to go into sewers or waterways.

Prevent penetration into the ground.

### 12.5 Results of PBT and vPvB assessment.

No information is available about the results of PBT and vPvB assessment of the product.

### 12.6 Endocrine disrupting properties.

This product doesn't contain components with environmental endocrine disrupting properties.

### 12.7 Other adverse effects.

The product is not affected by the Regulation (EC) No 1005/2009 of the European Parliament and of the Council of 16 September 2009 on substances that deplete the ozone layer.

No information is available about other adverse effects for the environment.

## SECTION 13: DISPOSAL CONSIDERATIONS.

### 13.1 Waste treatment methods.

Do not dump into sewers or waterways. Waste and empty containers must be handled and eliminated according to current, local/national legislation.

Follow the provisions of Directive 2008/98/EC regarding waste management.

## SECTION 14: TRANSPORT INFORMATION.

Transportation is not dangerous. In case of road accident causing the product's spillage, proceed in accordance with point 6.

### 14.1 UN number or ID number.

Transportation is not dangerous.

### 14.2 UN proper shipping name.

Description:

ADR/RID: Not classified as hazardous for transport.

IMDG: Not classified as hazardous for transport.

ICAO/IATA: Not classified as hazardous for transport.

### 14.3 Transport hazard class(es).

Transportation is not dangerous.

### 14.4 Packing group.

Transportation is not dangerous.

### 14.5 Environmental hazards.

Transportation is not dangerous.

Transport by ship, FEm – Emergency sheets (F – Fire, S - Spills): Not applicable.

### 14.6 Special precautions for user.

Transportation is not dangerous.

### 14.7 Maritime transport in bulk according to IMO instruments.

Not classified as hazardous for transport.

-Continued on next page.-

# SAFETY DATA SHEET

(in accordance with Regulation (EU) 2020/878)

## Placa Pladur\_EN



Version 1 Date of compilation: 24/10/2022

Version 3 (replaces version 2)

Revision date: 17/03/2025

Page 8 of 8

Print date: 17/03/2025

### SECTION 15: REGULATORY INFORMATION.

#### 15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture.

The product is not affected by Regulation (EU) No 528/2012 concerning the making available on the market and use of biocidal products.

The product is not affected by the procedure established Regulation (EU) No 649/2012, concerning the export and import of dangerous chemicals.

#### 15.2 Chemical safety assessment.

No Chemical Safety Assessment has been carried out for this substance/mixture by the supplier.

### SECTION 16: OTHER INFORMATION.

Changes regarding to the previous version:

- Modifications in product identifiers (SECTION 1.1).
- Addition of personal protective equipment (SECTION 8.2).
- Modifications of the personal protective equipment (SECTION 8.2).
- Modification in the values of the physical and chemical properties (SECTION 9).

Classification and procedure used to derive the classification for mixtures according to Regulation (EC) 1272/2008 [CLP]:

Physical hazards	On basis of test data
Health hazards	Calculation method
Environmental hazards	Calculation method

It is recommended that the product only be employed for the purposes advised.

Gypsum is composed of **calcium sulphate (CaSO<sub>4</sub>)**. The impurities in gypsum products usually contain clays, carbonates or marls depending on the location of the quarries where the mineral is extracted and these may contain small concentrations of silica (amorphous or crystalline).

Gypsum products have no or very low percentages of silica, and even if silica is present, its presence is so low that it should not pose a significant health risk.

If powdery material may be generated due to the handling of gypsum products, the use of a mask is recommended, as well as ensuring that the workplace is well ventilated, and the use of gloves and safety goggles is also recommended.

Abbreviations and acronyms used:

CEN: European Committee for Standardization.  
PPE: Personal protection equipment.

Key literature references and sources for data:

<http://eur-lex.europa.eu/homepage.html>  
<http://echa.europa.eu/>  
Regulation (EU) 2020/878.  
Regulation (EC) No 1907/2006.  
Regulation (EC) No 1272/2008.

The information given in this Safety Data Sheet has been drafted in accordance with COMMISSION REGULATION (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council on the Registration, Evaluation, Authorisation and Restriction of Chemical substances and mixtures (REACH).

The information in this Safety Data Sheet on the Preparation is based on current knowledge and on current EC and national laws, as far as the working conditions of the users is beyond our knowledge and control. The product must not be used for purposes other than those that are specified without first having written instructions on how to handle. It is always the responsibility of the user to take the appropriate measures in order to comply with the requirements established by current legislation. The information contained in this Safety Sheet only states a description of the safety requirements for the preparation, and it must not be considered as a guarantee of its properties.