

1. Name and identification code:

CRISTAL TOTAL

2. Name and manufacturer address:

PLADUR GYPSUM S.A.U.

Ctra. de Andalucía Km. 30,2 28343 Valdemoro (Madrid) – Spain

3. Intended use:

Compound for internal rendering in buildings.

4. System of assessment and verification of constancy of performances: 3/4

5. Notified body:

Name and number	APPLUS /LGAI Technological Center, S.A. nº : 0370
Task performed	Test reaction to fire
Evaluation system	3
Document issued and date of issue	Exp. nº Exp. nº 16/11712-486 Date 04/04/2016

6. Declared performance:

Essential characteristics	Performances	Harmonized Technical Specification
Reaction to fire exposure situations	A2-s1, d0	EN 13501-1:2007+A1:2009
Water steam permeability (external renders)	PND	EN-15824:2009
Water absorption (external renders)	PND	EN-15824:2009
Adherence	PND	EN-1542:1999
Durability (external renders)	PND	EN-15824:2009
Thermal conductivity	PND	EN-15824:2009
Dangerous substances	PND	EN-15824:2009

All essential characteristics described in the first column of this table correspond to those described in the standard EN 15824-1:2009.

The performance of the product identified in paragraph 1 is in conformity with the declared performance in point 6.

This declaration of performance is issued under the sole responsibility of the manufacturer identified in point 2.

Valdemoro 23rd April 2018



Enrique Ramírez
General Manager
PLADUR GYPSUM, S.A.U.